





Muthamizh Arignar Kalaignar Centenary National Seminar

Reflections on Cultural Development: An Archaeological Perspective

Proceedings

2023 November 22 and 23

Government of Tamilnadu Department of Archaeology Chennai - 600 008 2023 Tiruvalluvar year 2054

Muthamizh Arignar Kalaignar Centenary National Seminar on Reflections on Cultural Development: An Archaeological Perspective Proceedings

Editors

Prof. K. Rajan Dr. R. Siyanantham

Government of Tamil Nadu Department of Archaeology Chennai - 600 008 2023 Tiruvalluvar year 2054

CONTENTS

S.N	0	Pag	ge No
	Foreword		
	Preface		
Sessio	n : I		
1.	Stone Tools, Strategies and Sustainable Conservation:		1
	Planning for the future of Prehistoric Research in Tamil Nadu		
	Dr. Shanti Pappu, Dr. Kumar Akhilesh		
2.	Palaeolithic Cultures in the Deccan Upland:	•••	15
	Retrospect and Prospect		
	Dr. JayendraJoglekar		
3.		•••	24
	An Archaeological Perspective Dr. S. Rama Krishna Pisipaty,		
			45
4.	Prehistory and Early History Cultural Transitions in North-Eastern Karnataka: Archaeology,		13
	Landscapes and Forest Ecology		
	Dr. Arjun, R.		
5	Recent investigation on Middle Palaeolithic assemblage		52
	in Vilangudi River - Ariyalur Region		
	P. Arunkumar		
Sessio	on : II		
6	. Antiquity of Mangudi Village – (A Sangam Age Settlement)		67
	K. Sridharan		
7		•••	71
	period in Tamil Nadu		
	K. Amarnath Ramakrishna		
8			95
	Dr. S. Rajavelu		100
9			106
	Adichchanallur Excavation, 2003-2005 Dr. M. Nambirajan, Arun Malik, P. Aravazhi		
,			112
]	Applications and their Archaeological Inferences –Keeladi Excavations	•••	112
	Dr. Sivanantham R., Ramesh M., Ajay Kumar R., Kaviya R.		

Session	: III		
11.	Process of Urbanization in South India:		129
	a Micro Study Based on GIS Analysis		
	Dr. K. P.RAO		
12.	Requisite and Efficacy of GIS Application	•••	137
	in Archaeological Research		
	Dr . S. Deepika		
Session	iV		
13.	Birth Place of Dravidian – An NRY study Prof. RM. Pitchappan	•••	143
14.	Living Harappans: Incredible continuity of	•••	154
	Indus material and linguistic culture in later		
	India, seen through archaeological, ethno historical,		
	and linguistic lenses Ms. Bahata Ansumali		
1.5			
15.	The Emergence of Ancient Tamil Matrilineal System: Perspectives from Literary Anthropology	•••	166
	Dr. S. Bhakthavatsala Bharathi		
16.	Ancient Genomic Investigation of the Archaeological		177
10.	Human Remains from Tamil Nadu, India	***	1//
	Prof. G. Kumaresan		
Session	· V		
17.	Excavation, Relocation and Reconstruction of a	***	207
	Megalithic burial from Mahurjhari at IGRMS campus,		
	Bhopal : A Deliberation		
	Prof. Rabindra Kumar Mohanty		
18.	A Study of Grinding Stones in the South Indian	***	223
	Neolithic: Theoretical Perspectives		
	Ms. Sutonuku Bhattacharya		
19.	Rice to Religion: Glimpses of Proto and Early		236
	Historic Cultures of Odisha		
	Dr. Sunil Kumar Patnaik		

The Models of Cultural Developments of Tolkappiyar

– Iron Age – Early Historic Cultural Transition in South India

and C.J. Thompson; and the Mesolithic – Neolithic

Prof. V. Selvakumar

252

21.	Cultural Development in Vidarbha from Early Iron Age to Early Historic period as seen in Ceramic Sequence: A Case Study of Bhagimohari, Dr. Shantanu Vaidya		269
Session :	: VI		
22.	Iron Age distinctive Vaults Thiru. T. Sathyamoorthy		288
23.	Iron Age and Early Historic settlement pattern in Mamundi river, Tamil Nadu. Dr. V. P. Yathees Kumar		299
24.	Investigating early iron finds such as from Mayiladumparai, Tamil Nadu Prof. Sharada Srinivasan		322
25.	Sculptural Art Under Vijayanagar and Nayak Rulers in the Tamil Country –An Over view Dr. G. Sethuraman		329
Session	: VII		
26.	The Imprints of Muttaraiyars in the Early History of Tamil Nadu: An Epigraphical Perspective Dr. M. Marudhu Pandiyan, B. Asaithambi, D. Ananthy	•••	335
27.	கங்கை கொண்ட சோழபுரம் தலைநகர் மாற்றத்தில் உள்ளுரையும் உண்மைகள் பொறிஞர் கோமகன்		344
28.	தமிழகக் காசுகளில் திருக்கோயில் தேர்கள் திரு. ஆறுமுகசீதாராமன்,	•••	351
29.	மாடக்குளக்கீழ் மதுரை முனைவர் வெ.வேதாசலம்,	•••	357
30.	தமிழ்-பிராமிகல்வெட்டுகளில் அந்தை என்னும் சொல் முனைவர் ர. பூங்குன்றன்	•••	363
31.	எட்டயபுரம் வட்டாரத்தில் கண்டறியப்பட்ட புதிய கல்வெட்டுகள் – 2023 திரு. மணிகண்டன். க		369
32.	பாலாற்றங்கரையில் அமைந்துள்ள பட்டை தீட்டும் தளங்கள்- ஓர் ஆய்வு முனைவர் ம. மதுரைவீரன்		382
33.	Literary works as gleaned through the inscriptions Tmt. K. Bakialakshmi		387

34.	அகழாய்வு சுடுமண் உருவங்கள் காட்டும் பண்பாட்டுக் கூறுகள் முனைவர் கோ. சசிகலா		399
35.	அறுவடை விழா ச.கிருஷ்ணமூர்த்தி		415
36.	Lowering sea-level and siltation jointly caused a bandonment of Korkai Port (India): inference from a multi-prox palaeo-environmental record P. Morthekai	 y	418
37.	Beyond Bones: Uncovering Social Significance in Archaeo-zoological Assemblages Dr. Pankaj Goyal		419
38.	A Preliminary study of the Culture - Climate Relationship of the Keeladi, Tamil Nadu, India Anjali Trivedi, P. Morthekai, Dr. R. Sivanantham		420

Investigating early iron finds from Mayiladumparai, Tamil Nadu

Sharada Srinivasan,*
S. Paranthaman, B.
Asaithambi, R.Venkataguru
Prasanna, K. Sakthivel, K. Rajan,
R.Sivanantham, Suresh Radha,
Madan Sundarraj and Uday Kumar

Abstract

The recent excavation of the habitation-cum-burial site of Mayiladumparai in Tamil Nadu in southern India carried out by Tamil Nadu State Department of Archaeology in 2021 met with ferrous metal finds that yielded very early radiocarbon dates for two charcoal samples with Accelerator Mass Spectrometry (C14-carbon dating) undertaken at Beta Analytic Testing Laboratory in Florida, USA. The trenches laid in the Locality-4 yielded dates at the depth of 104 cm and 130 cm of mid-range calibrated dates of 1615 BCE and 2172 BCE, ranking amongst some of the earliest known. The site is found in the terraces of the hillock Sanarappanmalai with a Neolithic and Iron Age habitation mound. The rock shelter on top of the hill yielded habitation material with a petroglyph and rock art. This paper reports some preliminary analyses of ferrous artefacts from undated contexts at Mayiladumparai to try to gain some insights into the status of the early finds and aspects of technology using preliminary technical studies such as X-Ray fluorescence analysis with archaeometallurgical researches initiated by the Prof Sharada Srinivasan as Principal Investigator under the DST-SHRI scheme at National Institute of Advanced Studies, Bengaluru.

Introduction

The excavated stie Mayiladum Parai (12°26'29.0"N 78°19'52.9"E) is located 4 km west of Togarapalli village in Bargur Taluk, Krishnagiri District. Geographically the present excavated area falls under the uplands of Tamil Nadu situated at an elevation of 300 m to 1400 m (AMSL). It is part of the Mysore

- 1) Professor, National Institute of Advanced Studies, Bengaluru, email: sharadasrini@nias.res.in
- 2) Advisor, Tamil Nadu State Department of Archaeology
- 3) Joint Director, Tamil Nadu State Department of Archaeology
- 4) National Institute of Advanced Studies, Bengaluru
- 5) National Institute of Advanced Studies, Bengaluru
- 6) National Institute of Advanced Studies,



plateau, Bengalurucalled Baramahal, which is characterized by hills such as Javadi, Thierthmalai, and Kalvarayans hills. The excavations were first carried out here under the leadership of Professor K. Rajan of the Department of Epigraphy and Archeology, Tamil University in 2003 (Rajan). The site has been again re-excavated in 2021by the Tamil Nadu State Department of Archaeology.

The excavation of a habitation-cum-burial site at Mayiladumparai, revealed the continuous existence of four cultural phases namely Microlithic, Neolithic, megalithic and Early Historic. The rock paintings and engravings unearthed in rock-shelters along with the habitation mound were the most significant part of this excavation. The west facing cist burial represents the early forms of Megalithic architecture. The occurrence of Tamil-Brahmi inscribed potsherds demonstrated the cultural transformation from the Iron Age to the Early Historic period.


Preliminary non-destructive XRF analysis was done on three specimens as reported further from Iron Age megalithic contexts which however could not be dated by c-14 due to the absence of any datable material such as charcoal. A portable handheld vanta XRF machine was used which has the advance that samples in remote locations could also be studied as well as small samples to give a rapid indication of the overall presence of transition metal elements though it cannot detect light elements. However it must be cautioned that these only represent semi-quantitative surface analysis which gives an overall indication, but for true composition, the uncorrorded core metal needs to be sampled which could not be done at this stage since the request was for non-destructive analysis. The NIAS team apart from Prof Sharada Srinivasan as Principal Investigator on the archaeometallurgical investigations included Mr Suresh Ratha who undertook fieldwork and Mr Madan Sundarraj who carried out the XRF analysis and Dr Uday Kumar with dinolite photography and drawings, and Ms Sheela.

Samples Details

1. Accession No.: MPI;MEG 06- BIS-03 (Axe broken)



Pic 01: Broken Axe pieces



Pic 02:Axe pieces, Drawing, Dinolite photography


Broken pieces of an axe were recovered at 65 cm depth from a Megalithic pit burial enclosed with a cairn circle covered with a capstone. (MPI-MEG 06-BIS 03; 12°44′12.73″N 78°33′13.44″E). It was about length 7.5 cm, width 3.09 cm with average thickness of 3.54-3.2 and quite dense, although partly corroded, suggesting the prevalence of core metal. A magnet was used to detect the more it on-rich regions. Analysis was undertaken by non-destructive semi-quantitative x-ray fluorescence analysis using a portable handheld XRF machine, taken over more than five cross section on the sample, in the middle portion near a less corroded area. The analyzed composition of the corroded metal surface in a corner of the edge area indicated about 97% iron indicating that it is a well-made ferrous artifact with a fair amount of uncorrodedcore metal. The traces of silver, tin, lead and cobalt could be traced associated with the ferrous metal source. Traces of titanium and vanadium are also prevalent for which it cannot be determined if it related to either the metal orto the soil and corrosion without analysis of the base metal.

Samples Details

1. Accession No.: MPI;MEG 06- BIS-03 (Broken axe)

B	
Ti	0.28
٧	0.139
Cr	0.061
Fe	97.92
Sr	0.120
Zr	0.256
Pd	0.254
Ag	0.265
Cd	0.208
Sn	0.175
Sb	0.330

Table:O1 Trace Elements



Management of the control of the con

Pic 03: XRF beam aim on object, MPI;MEG 06- BIS-03

Samples Details

2.Accession No.: MPI; L, II MEG 13- BIS-09 (Knife piece)



Pic 01: Chisel piece

Pic 02:A,B Chisel drawing, dinolite

Photography

A well-shaped chisel piece was unearthed at the depth of 103 cm from cist burial having a round porthole on the eastern orthostat entombed with a carin circle (MPI; L, II MEG 13- BIS-09; 12°43'74.30"N 78°33'28.64"E) . Its length is 04.09 cm, width is 2.67, Average thickness is 1 to 0.5 cm The tip is narrowed and curved and it is fairly solid and highly rusted. More than five cross sectionswere analysed by XRF in the middle of the sample. Due to the light accretions and corrosion about 95.45 % iron was detected in the matrix. The significant presence of cobalt of 2.37 % was detected, as well as 0.28% manganese which would more likely be associated with ore sources. The significant presence of titanium of 1% and traces of strontium is noted which related to siliceous and clayey accretions although further investigation is needed of the core metal. Traces of zirconium are detected which may relate to the sandy burial conditions.


Specterm and trace elements MPI; L, II MEG 13- BIS-09 (Knife piece)

El	96	
Ti	1.09	
Mn	0.281	
Fe	95.46	
Со	2.37	
Ni	0.095	
Zn	0.259	
Sr	0.328	
Zr	0.128	

Table: O2 Trace ElementsPic



03: XRF beam aim on object MPI;MEG 13- BIS-09




Graph; 02 spectrum

Samples Details

1.Accession No.: MPI, L-1, MEG 04- BIS-05 (Axe broken)



Pic 01: Iron Tool piece



Pic 02: A,B Tool piece drawing, dinolite photography

A piece of a broken tool or chisel was unearthed at the depth of 154 cm from a cist burial enclosed with carin packing and a heavy capstone. The U-shaped porthole is observed on the western orthostat (MPI; L, I MEG 04- BIS-05; 12°44'14.02"N 78°33'15.17"E) . Its length is 04.5 cm, width is 2.57 Average, thickness is 1.5 cm and it is fairly solid and lightly rusted. XRF analysis was done on more than five cross sections in the middle and corner of the sample. The sample matrix seems fairly uncorroded with 99.740 % iron. The presence of cobalt of 0.15 % was detected which may be related to iron source while strontium titanium may be related to siliceous and clayey accretions. Traces of zirconium are detected which may relate to the sandy burial conditions.


El	%	Carbon Steel	
Ti	0.049	Resid. 0.2	
Cr	ND	0.00	
Mn	ND	2.00 150	
Fe	99.704	98.25 U00.00	
Co	0.150	Resid. 0.6	
Zn	0.061	No Spec	
Sr	0.022	Resid. 0.1	
Zr	0.014	Resid. 0.1	
Мо	ND	0.00 0.10	
Pb ·	ND	0.00	

Table: 03 Trace Elements

Spectrum and trace elementsMPI, L-1, MEG 04- BIS-05 (Axe broken)



Pic 04: XRF Aiming of object MPI;MEG 13- BIS-09



Graph; 03 spectrum

Conclusions

The preliminary investigations of undated samples from megalithic burials at Mayiladumparai by XRF surface analysis was undertaken showing that the samples though corroded on the surface, still contain a good amount of metallic iron attracting a magnet. Dinolite photography reveals thatthe samples were generally well shaped such as the curved chisel edge, and the tool piece with straight sides. The trace elements detected are also interesting, all the samples showed a detectable amount of cobalt which usually partitions with metal and hence may be indicative of the ore source that was smelted to get the metallic iron. Manganese traces can also be diagnostic of the ore. Further investigations could throw light on whether the rare earth minerals of zirconium and strontium are from the clayey and sandy soils. Such XRF analysis also points to the potential of trace element analysis for provenance studies both of the iron and of the burial conditions.

Acknowledgements

The support of TCS Foundation and of Department of Science and Technology Science and Heritage Research Initiative is acknowledged.

